



ZINC 9%

EDTA CHELATED ZINC FOR THE PREVENTION
AND CORRECTION OF MICRONUTRIENT DEFICIENCY

(252) 523-9090

303 BOHANNON RD. • KINSTON, NC 28501

INFORMATION REGARDING THE CONTENTS AND LEVELS OF
METALS IN THIS PRODUCT IS AVAILABLE ON THE INTERNET AT
<http://www.aapfco.org/metals.htm>

USE IN ACCORDANCE WITH RECOMMENDATIONS OF A QUALIFIED
INDIVIDUAL OR INSTITUTION, SUCH AS, BUT NOT LIMITED TO, A
CERTIFIED CROP ADVISOR, AGRONOMIST, UNIVERSITY PUBLICATION
OR APPLY ACCORDING TO RECOMMENDATIONS IN YOUR APPROVED
NUTRIENT MANAGEMENT PLAN. HARVEY'S STARTER OR FOLIAR
APPLICATIONS ARE INTENDED TO SUPPLEMENT EXISTING SOIL
FERTILITY PROGRAMS AND WILL NOT BY ITSELF PROVIDE ALL THE
NUTRIENTS NORMALLY REQUIRED BY AGRICULTURAL CROPS.

WARNING: EXPOSURE MAY AGGRAVATE PRE-EXISTING EYE, SKIN,
OR RESPIRATORY CONDITIONS.

© 2018. HARVEY'S AG PRODUCTS. ALL RIGHTS RESERVED.

GUARANTEED ANALYSIS

Zinc (Zn) 9%
9% Chelated Zinc (Zn)

Derived from: Zinc EDTA.

ALL COMPLETELY WATER SOLUBLE

NET WEIGHT: 10.85 LBS (4.92 KG) AT 68°F
ALL COMPLETELY WATER SOLUBLE

PROTECT FROM FREEZING

_____ 2.5 gallons _____ 2 x 2.5 gallons _____ bulk _____ gallons



ZINC 9%

EDTA CHELATED ZINC FOR THE PREVENTION AND CORRECTION OF MICRONUTRIENT DEFICIENCY

MIXING INSTRUCTIONS

1. Put 1/3 of water or fertilizer in tank
2. Add other chemicals (if applicable)
3. Fill tank with balance of water or fertilizer
4. Add correct amount of chelate
(shake each container vigorously before use)
5. Agitate adequately to mix

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and
chemical mixtures.

GENERAL RECOMMENDATIONS:

Harvey's 9% Zn EDTA is intended for use in a complete crop nutritional
program where a soil and/or plant tissue analysis has indicated a zinc
deficiency. Harvey's 9% Zn EDTA may be applied with Harvey's liquid
fertilizers, other liquid fertilizers, fertilizer suspensions, nitrogen solutions,
or water.

	pints/A	
HIGH RESPONSE CROPS:	Row ¹	Banded ²
corn, beans, cotton, sweet corn, sorghum, popcorn, onions, spinach, rice	2-5	1-3
OTHER CROPS:	1-2	2-4
Soybeans, sugar beets, wheat, alfalfa, barley, oats, tobacco, carrots, cabbage, table beets, lettuce, tomatoes, radishes, squash, rye, clover, bermuda, coastal grasses, sudangrass, peanuts		

1. Row recommendations are intended to provide starter application of
zinc for the current year crop and are not expected to correct severe
zinc deficiencies. Additional banded or foliar applications may be
necessary to correct severe deficiencies.
2. Banded generally refers to 2" to the side and 2" below the seed and
is usually applied during planting.

FOLIAR APPLICATIONS:

For all the above crops plus tree fruits, citrus, small fruits, and
ornamentals: 1-2 pints/A in minimum 10 gallons of water

Aerial: 1-2 pints/A in minimum 5 gallons of water

Harvey's liquid fertilizer may be used as a carrier at 3-5 gallons per
acre. More than one application may be required for severe deficiency.

NOTE: Foliar fertilization is intended as a supplement to a regular
fertilization program and will not by itself provide all the nutrients
normally required by agricultural crops.

Harvey's chelated micronutrients should not be used unless a
deficiency is indicated by a soil test and/or tissue analysis, and/or
appearance of deficiency symptoms. Optimum rate of application will
vary between fields depending on soil pH and organic matter content.

Note: 1 pint of Harvey's 9% Zn EDTA contains: 0.1238 pounds of elemental zinc.